

ARCHER

SPOT MOVING HEAD

S5 SG ARCHER S5



Light Source

High Power White 300W LED
Lifespan: 20000h

Optics

Beam Opening: from 4° to 45°
Electronic Focus and zoom

Color System

Colour wheel with 7 dichroic filters + white
Rainbow effect
CMY color mixing + CTO filter

Effects

Static gobo wheel
Rotating gobo wheel
Rotating prism: 3-facets circular
Linear dimmer 0-100%
Linear Iris
Adjustable strobe from 1 to 20 flashes /s
Frost filter

Control

3 DMX configurations available 26/28/39 channels
DMX512, master-slave, Automatic mode, Sound mode

Structure and cabinet

Black metal housing and high resistance plastic material
Color LCD display
Selectable PAN angle 360°/540°/630° (8/16 bit)
TILT angle: 90°/180°/270° (8/16 bit)
Encoder Pan/Tilt
IP rating: IP20
Forced air cooling system with electronic control
XLR IN/OUT connection 3-poles

Power supply

Input voltage: AC ~100-240V, 50/60 Hz
Max power: 405W @ 230VAC

Weight and dimensions

Net weight: 23kg
Dimensions: 365x245x610 mm



is brand of
Proel Spa
(Worldwide Headquarters)
Via alla Ruenia, 37/43
64027 Sant'Omero (TE) - Italy
Tel: +39 0861 81241
Fax: +39 0861 887862
VAT N°: IT007785906789
RAEE N°: IT08020000002762

sagitter.com

ARCHER

SPOT MOVING HEAD

S7
SG ARCHER S7



Light Source

High Power White 380W LED
Lifespan: 50000h

Optics

Beam Opening: from 8° to 45°
Electronic Focus and zoom

Color System

Colour wheel with 7 dichroic filters + white
Rainbow effect
CMY color mixing + CTO filter

Effects

Static gobo wheel
Effect gobo wheel
Rotating gobo wheel
Rotating prism 1: 3-facets circular
Rotating prism 2: 6-facets linear
Linear dimmer 0-100%
Adjustable strobe from 1 to 20 flashes /s
Frost filter

Control

3 DMX configurations available 24/29/34 channels
DMX512, master-slave, Automatic mode, Sound mode

Structure and cabinet

Black metal housing and high resistance plastic material
Color LCD display
Selectable PAN angle 540°/630° (8/16 bit)
TILT angle: 270° (8/16 bit)
Encoder Pan/Tilt
IP rating: IP20
Forced air cooling system with electronic control
XLR IN/OUT connection 3-poles

Power supply

Input voltage: AC ~100-240V, 50/60 Hz
Max power: 500W @ 230VAC

Weight and dimensions

Net weight: 25kg
Dimensions: 390x255x633 mm



is brand of
Proel Spa
(Worldwide Headquarters)
Via alla Ruenia, 37/43
64027 Sant'Omero (TE) - Italy
Tel: +39 0861 81241
Fax: +39 0861 887862
VAT N°: IT007785906789
RAEE N°: IT08020000002762

sagitter.com

ARCHER

WASH MOVING HEAD

W5 SG ARCHER W5



Light Source

High Power RGBW 240W LED
Lifespan: 20000h

Optics

Beam Opening: from 5° to 70°
Electronic Zoom
Fresnel lens

Color System

RGBW color mixing
Adjustable white color temperatures from 2700K to 8000K
6 pre-selected temperatures

Effects

Linear dimmer 0-100%
4 selectable dimmer modes
3 selectable dimmer modes
Adjustable strobe from 1 to 20 flashes /s

Control

3 DMX configurations available 18/21/28 channels
DMX512, master-slave, Automatic mode, Sound mode

Structure and cabinet

Black metal housing and high resistance plastic material
Color LCD display
PAN Angle 540° (8/16 bit)
TILT Angle 270° (8/16 bit)
Encoder Pan/Tilt
IP rating IP20
Forced air cooling system with electronic control
XLR IN/OUT connection 3-poles

Power supply

Input voltage: AC ~100-240V, 50/60 Hz
Max power: 400W @ 230VAC

Weight and dimensions

Net weight: 14kg
Dimensions: 347x215x612 mm



is brand of
Proel Spa
(Worldwide Headquarters)
Via alla Ruenia, 37/43
64027 Sant'Omero (TE) - Italy
Tel: +39 0861 81241
Fax: +39 0861 887862
VAT N°: IT007785906789
RAEE N°: IT08020000002762

sagitter.com

ARCHER

WASH MOVING HEAD

W9
SG ARCHER W9



Light Source

High Power RGBW 19x40W LED
Lifespan: 50000h

Optics

Beam Opening: from 5° to 62°
Electronic Zoom

Color System

RGBW color mixing
Adjustable white color temperatures from 3200K to 8000K

Effects

Linear dimmer 0-100%
2 selectable dimmer modes
4 selectable dimmer modes
Adjustable strobe from 1 to 20 flashes /s
Pixel mapping

Control

3 DMX configurations available 14/20/94/101 channels
DMX512, master-slave, Automatic mode, Sound mode

Structure and cabinet

Black metal housing and high resistance plastic material
Color LCD display
Selectable PAN angle: 360°/540°/630° (8/16 bit)
Selectable TILT angle: 90°/180°/270° (8/16 bit)
Encoder Pan/Tilt
IP rating IP20
Forced air cooling system with electronic control
XLR IN/OUT connection 3-poles

Power supply

Input voltage: AC ~100-240V, 50/60 Hz
Max power: 960W @ 230VAC

Weight and dimensions

Net weight: 12kg
Dimensions: 453x283x553 mm



is brand of
Proel Spa
(Worldwide Headquarters)
Via alla Ruenia, 37/43
64027 Sant'Omero (TE) - Italy
Tel: +39 0861 81241
Fax: +39 0861 887862
VAT N°: IT007785906789
RAEE N°: IT08020000002762


sagitter.com

ARCHER

BEAM MOVING HEAD

B1

SG ARCHER B1



Light Source

OSRAM SIRIUS HRI 100W lamp
Lifespan: 6000h

Optics

Beam Opening: 3.2°
Electronic Focus

Color System

Colour wheel with 12 dichroic filters + white
Rainbow effect

Effects

Static gobo wheel: 11 gobo + white
Gobo shake effect
Rotating prism 1: 8-facets circular
Rotating prism 2: linear
Linear dimmer 0-100%
Adjustable strobe from 1 to 20 flashes /s
Frost filter

Control

2 DMX configurations available 14/16 channels
DMX512, master-slave, Automatic mode, Sound mode

Structure and cabinet

Black metal housing and high resistance plastic material
Color LCD display
PAN Angle 540° (8/16 bit)
TILT Angle 260° (8/16 bit)
Encoder Pan/Tilt
IP rating IP20
Forced air cooling system with electronic control
XLR IN/OUT connection 3-poles

Power supply

Input voltage: AC ~100-240V, 50/60 Hz
Max power: 160W @ 230VAC

Weight and dimensions

Net weight: 9.5kg
Dimensions: 226x170x362 mm



is brand of
Proel Spa
(Worldwide Headquarters)
Via alla Ruenia, 37/43
64027 Sant'Omero (TE) - Italy
Tel: +39 0861 81241
Fax: +39 0861 887862
VAT N°: IT007785906789
RAEE N°: IT08020000002762

sagitter.com

ARCHER

BEMA MOVING HEAD

B5 SG ARCHER B5



Light Source

OSRAM SIRIUS HRI 190W lamp
Lifespan: 3000h

Optics

Beam Opening: 2.5°
Electronic Focus

Color System

Colour wheel with 11 dichroic filters + white
Rainbow effect

Effects

Static gobo wheel: 16 gobo + white
Gobo shake effect
Rotating prism 1: 8-facets circular
Rotating prism 2: linear
Linear dimmer 0-100%
Adjustable strobe from 1 to 20 flashes /s
Frost filter

Control

2 DMX configurations available 14/16 channels
DMX512, master-slave, Automatic mode, Sound mode

Structure and cabinet

Black metal housing and high resistance plastic material
Color LCD display
Adjustable PAN angle: 360°/540°/630° (8/16 bit)
Adjustable TILT angle: 90°/180°/270° (8/16 bit)
Encoder Pan/Tilt
IP rating IP20
Forced air cooling system with electronic control
XLR IN/OUT connection 3-poles

Power supply

Input voltage: AC ~100-240V, 50/60 Hz
Max power: 290W @ 230VAC

Weight and dimensions

Net weight: 14kg
Dimensions: 317x235x519 mm



is brand of
Proel Spa
(Worldwide Headquarters)
Via alla Ruenia, 37/43
64027 Sant'Omero (TE) - Italy
Tel: +39 0861 81241
Fax: +39 0861 887862
VAT N°: IT007785906789
RAEE N°: IT08020000002762

sagitter.com

ARCHER

BEAM MOVING HEAD

B10

SG ARCHER B10



Light Source

OSRAM SIRIUS HRI 281W lamp
Lifespan: 2000h

Optics

Beam Opening: 2.5°
Electronic Focus

Color System

Colour wheel with 11 dichroic filters + white
Rainbow effect

Effects

Static gobo wheel: 16 gobo + white
Gobo shake effect
Rotating prism 1: 8-facets circular
Rotating prism 2: linear
Linear dimmer 0-100%
Adjustable strobe from 1 to 20 flashes /s
Frost filter

Control

2 DMX configurations available 14/16 channels
DMX512, master-slave, Automatic mode, Sound mode

Structure and cabinet

Black metal housing and high resistance plastic material
Color LCD display
Adjustable PAN angle: 360°/540°/630° (8/16 bit)
Adjustable TILT angle: 90°/180°/270° (8/16 bit)
Encoder Pan/Tilt
IP rating IP20
Forced air cooling system with electronic control
XLR IN/OUT connection 3-poles

Power supply

Input voltage: AC ~100-240V, 50/60 Hz
Max power: 430W @ 230VAC

Weight and dimensions

Net weight: 14kg
Dimensions: 317x235x519 mm



is brand of
Proel Spa
(Worldwide Headquarters)
Via alla Ruenia, 37/43
64027 Sant'Omero (TE) - Italy
Tel: +39 0861 81241
Fax: +39 0861 887862
VAT N°: IT007785906789
RAEE N°: IT08020000002762

sagitter.com